

L1 ANSWER 1 OF 1 CA COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 99:23174 CA

TITLE: Device and method for crystallization and drying of
granulated macromolecular substances

INVENTOR(S): Blazek, Jiri; Fallada, Miroslav; Suesser, Otakar

PATENT ASSIGNEE(S): Czech.

SOURCE: Czech., 4 pp.

CODEN: CZXXA9

DOCUMENT TYPE: Patent

LANGUAGE: Czech

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

CS 200745	B	19800915	CS 1978-3862	19780614 <---
PRIORITY APPLN. INFO.:			CS 1978-3862	19780614

AB A discontinuous app. for crystn. and drying of granulated polymers, e.g. polyesters, consists of a vertical agitated crystallizer, where crystn. proceeds in adiabatically expanded steam at temps. 10-100 K below the glass transition temps. of the polymers, connected by a gate with a vertical countercurrent air drier, where air of temps. 10-200 K below the softening temps. of the polymers is used. The app. prevents aggregation of the granules and saves energy and transport between crystn. and drying. Thus, poly(ethylene terephthalate) [25038-59-9] was crystd. in batches (50 kg/30 min) with stirring, contacted with expanded 1 MPa steam (30 kg/h), and dried with air (400 kg/h) at 150-179.degree. for 2 h (drier capacity 200 kg) to give granules having d. 1.392 g/cm³ contg. 0.006% H₂O.